ELEMENTS OF THE IPPE AND AWV

	IPPE - G0402	Initial AWV - G0438	Subsequent AWV - G0439
Information gathering	 □ Review the medical and social history with attention to modifiable risk factors: • Past medical/surgical history, • Current medications and supplements, • Family history, • History of alcohol, tobacco, and illicit drug use, • Diet, • Physical activity. □ Review potential risk factors for depression or other mood disorders 	 □ Establish the medical/family history: Past medical/surgical history, Current medications and supplements, Family history. □ Review the patient's health risk assessment, which includes: Demographic data, Self-assessment of health status, Psychosocial risks, Behavioral risks, Activities of daily living (dressing, bathing, walking, etc.), Instrumental activities of daily living (shopping, housekeeping, etc.). 	 □ Update the medical/family history: Past medical/surgical history, Current medications and supplements, Family history. □ Review the updated health risk assessment, which includes: Demographic data, Self-assessment of health status, Psychosocial risks, Behavioral risks, Activities of daily living (dressing, bathing, walking, etc.), Instrumental activities of daily living (shopping, housekeeping, etc.).
	 ☐ Review functional ability and level of safety: • Hearing impairment, • Activities of daily living, • Fall risk, • Home safety. 	 □ Review potential risk factors for depression. □ Review functional ability and level of safety: Hearing impairment, Activities of daily living, Fall risk, Home safety. □ Establish a list of current providers and suppliers regularly involved in the individual's medical care. 	☐ Update the list of current providers and suppliers regularly involved in the individual's medical care.
Exam/ assessment	 □ Obtain the following: Height, Weight, Body mass index, Blood pressure (BP), Visual acuity, Other items as appropriate. □ Conduct end-of-life planning if the individual agrees. 	 □ Obtain the following: • Height, • Weight, • BMI (or waist circumference), • BP, • Other items as appropriate. □ Detect any cognitive impairment. 	 □ Obtain the following: Weight (or waist circumference), BP, Other items as appropriate. □ Detect any cognitive impairment.
Counseling	 □ Educate, counsel, and refer based on the previous five elements. □ Educate, counsel, and refer for other preventive services. Create a brief written plan (e.g., a checklist) that includes: A once-in-a-lifetime screening electrocardiogram (G0403-G0405), as appropriate, Other appropriate screenings and preventive services that Medicare covers. 	 Establish a written screening schedule, such as a checklist for the next 5 to 10 years, as appropriate. Establish a list of risk factors and conditions for which interventions are recommended or underway. Furnish personalized health advice and a referral as appropriate to health education or preventive counseling services or programs. Provide any other element determined appropriate through the National Coverage Determination process. 	 □ Update the written screening schedule developed at the initial AWV. □ Update the list of risk factors and conditions for which interventions are recommended or underway. □ Furnish personalized health advice and a referral as appropriate to health education or preventive counseling services or programs. □ Provide any other element determined appropriate through the National Coverage Determination process.



FPM Toolbox To find more practice resources, visit https://www.aafp.org/fpm/toolbox.

Developed by Cindy Hughes, CPC, CFPC. Copyright © 2016 American Academy of Family Physicians. Physicians may duplicate or adapt for use in their own practices; all other rights reserved. Related article: https://www.aafp.org/fpm/2016/0700/p9.html.